SRC-I QV S

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Product image



Cross-connection for the socktes in the D-SERIES DRI.

General ordering data

Version	RIDERSERIES RCI, Cross-connector
Order No.	1132070000
Type	SRC-I QV S
GTIN (EAN)	4032248912087
Qty.	10 pc(s).

SRC-I QV S

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	6.6 g

Temperatures

Storage temperature	-40 °C...85 °C	Operating temperature	-40 °C...85 °C

Cross-connection data

Rated current	12 A	Insulation	Yes
Touch-safe protection	Yes	Colour	white
Number of cross-connected terminals	8	Pitch in mm (P)	15.2 mm
Version	can be cut to length		

General data

Version	can be cut to length	Colour	white

Connection data

Pitch in mm (P)	15.2 mm

Classifications

ETIM 6.0	EC002586	ETIM 7.0	EC002586
ETIM 8.0	EC002586	ECLASS 9.1	27-37-16-92
ECLASS 10.0	27-37-16-92	ECLASS 11.0	27-37-16-92

Approvals

Approvals	
ROHS	Conform

Downloads

Engineering Data	CAD data – STEP
Engineering Data	EPLAN, WSCAD
Catalogues	Catalogues in PDF-format
Brochures	


SRC-I QV S

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com


Drawings

Example of use



Plug the cross-connection in the cable connections

Example of use



Cross-connector bridges to the same connection on the neighbouring base