




EPOSTER

EP5542T


## Key Features

- 3840 x 2160 4K resolution
- Infrared 10-point touch
- Embedded media player and 16GB storage
- USB multimedia playback
- Remote settings



## Product Description

The ViewSonic EP5542T is a 10-point interactive 55" all-in-one free-standing digital ePoster kiosk with a sleek, slim design. Great for grabbing attention in busy, high-traffic areas, the EP5542T comes with a scratch-proof tempered glass faceplate for added durability. Featuring 4K resolution, 178°/178° wide-angle viewing, and dual 10W stereo speakers, the EP5542T delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the embedded ARM media player and 16GB of internal memory, or add your own media player using the convenient media player cradle inside the lockable security door. It has build-in media playback software, as well as compatibility with ProAV control systems, make for easy management of multiple displays.



- |              |                   |
|--------------|-------------------|
| 1. RS-232C   | 9. DP In          |
| 3. Audio In  | 10. AC In         |
| 4. S/PDIF    | 11. Power Swithch |
| 5. PC In     | 12. AC Out        |
| 6. Touch Out | 13. RJ45          |
| 7. USB 2.0   | 14. USB x2        |

---

**Visit Us** ■ [www.viewsonic.com](http://www.viewsonic.com)

**DISPLAY**

Panel Size:	55"
Type/Tech:	TFT LCD (VA type,DLED Backlight)
Display Area (mm):	1209.6 (H) * 680.4 (V)
Aspect Ratio:	9:16
Native Resolution:	2160 x 3840
Colors:	1.07B
Brightness:	450 nits (typ.)
Contrast Ratio:	1300:1 (typ.)
Response Time:	9 ms (typ. G to G)
Viewing Angles:	H = 178, V = 178 typ.
Backlight Life:	30,000 Hours Typ.
Surface Treatment:	7H Tempered Glass
Orientation:	Portrait

**TOUCH**

Type/ Tech:	IR Recognition
Touch Resolution:	32768 x 32768
Touch Point:	10 Points

**INPUT**

HDMI:	(2.0) x 3
RGB / VGA:	x1
DisplayPort:	(1.2) x 1
Audio:	x1 PC audio(3.5 mm)
RS232:	x1

**OUTPUT**

Audio:	x1 (Earphone out)
SPDIF:	x1

**CAMERA****LAN**

RJ45:	x1
-------	----

**USB**

Type A:	x3 (2.0)
Type B:	x2 (for touch module)

**OTHERS****SPEAKERS**

10W x 2
---------

**COMPATIBILITY**

RGB PC/HDMI PC:	1920x1080 @60Hz
HDMI:	2160 x 3840 @60Hz
DisplayPort:	2160 x 3840 @60Hz

**ANDROID VERSION**

8.0
-----

**MULTIMEDIA**

Image: JPG, BMP, PNG, Video: MP4, MOV, MKV, DAT, MPG, MPEG, AVI, TS, WMV, RM, RMVB, Audio: MP3, WAV, AAC
--

**BUNDLE SOFTWARE**

Revel Digital, SureMDM
------------------------

**POWER**

Voltage:	100-240VAC +/- 10% Wide Range
Consumption:	Normal 126 W, Max 149 W (max.), < 0.5W (Off)

**ERGONOMICS****OPERATING CONDITIONS**

Temperature (° C):	0°C to 40°C
Humidity:	20% ~ 80% non-condensing

**DIMENSIONS (W X H X D)**

Physical (inch / mm):	30.26 x 73.62 x 17.72 in/768.5 x 1870 x 450 mm
Packaging (inch / mm):	38.19 x 80.08 x 23.98 in/970 x 2034 x 609 mm

**WEIGHT**

Net (lb / kg):	138.23 lbs/62.7 kg
Gross (lb / kg):	164.69 lbs/74.7 kg

**REGULATIONS**

cTUVus, FCC, Energy Star, CE, CB, RoHS, ErP, EEI, WEEE, BSMI
--

**PACKAGE CONTENTS**

1. Power Cord
2. Remote control with battery
3. Quick Start Guide
4. Key
*Actual content may differ from market to market